

# Public Health Bulletin

Department of Health and Human Services

Volume 1, Issue 9

Data for September 1998

The mission of the City of Long Beach Department of Health and Human Services is to improve the quality of life of the citizens of Long Beach by addressing the public health and human service needs ensuring that the conditions affecting the public's health afford a healthy environment in which to live, work and play.

### **Department Management Team**

Diana M. Bontá, R.N., Dr.P.H. Director

Darryl M. Sexton, M. D. Health Officer

### Michael Johnson

Administrative Officer

### Ronald Arias

Public Health Bureau Manager

#### Don Cillay

Environmental Health Bureau Manager

#### Angela Coron

Human and Social Services Bureau Manager

#### Roger Hatakeyama

Animal Control Bureau Manager

### David M. Souleles

Preventive Health Bureau Manager

### Domestic Violence Awareness

Domestic violence is often considered the intentional emotional or physical abuse of a person by an intimate partner such as a spouse or boyfriend. recently, however, "domestic violence" has been used to describe other forms of violence including abuse of elders and children, sibling abuse, and violence between same-sex partners. Centers for Disease Control and Prevention (CDC) has, therefore, chosen the term "intimate partner violence" (IPV) as a more precise description of a serious problem.

October is Domestic Violence Awareness Month. This month has been selected as a time to focus efforts to increase the public's awareness of intimate partner

violence. IPV is a ctual or threatened physical or sexual violence, or psychological/emotional abuse. Some of the common terms used to describe IPV include domestic abuse, spouse abuse, domestic violence, battering,

marital and date rape.

According to the National Crime Victimization Survey, nearly 1 million incidents of non-lethal IPV occurred each year from 1992 to 1996; 85% of victims were women. An average of approximately 8 in 1,000 women and 1 in 1,000 men age 12 or older experienced a violent victimization from a current or former spouse, boyfriend, or girlfriend. In 1992 and 1993, 92% of rapes of women were committed by known assailants. About half of all rapes and sexual assaults against women are committed by friends or acquaintances; 26% are by intimate partners. Lethal intimate violence data from FBI Uniform Crime Reports between 1992 and 1996 indicate that in 1996 about 2,000 murders were attributed to intimate partners, down from 3,000 two decades earlier.

## Intimate partner violence is an act of power and control.

number of domestic violencerelated calls for assistance averaged 12.3 per 1,000 adult population (18 and older) each year from 1993 to 1995. Between 1993 and 1996, an average of 10% of the domestic

l n

Beach.

(Continued on page 2)

Long

the

Table of Contents	
Domestic Violence Awareness	1
Communicable Disease Data	2
Breast Cancer Early Detection Program	2
AIDS Surveillance Program Data	3
Health Care Providers Reporting Responsibilities	4

### Communicable Disease Report

Selected Reportable Diseases for the City of Long Beach

Disease	Sept.	Sept.	YTD	YTD
AIDS	23	25	140	175
AMEBIASIS	3	2	11	10
CAMPYLOBACTERIOSIS	8	3	49	69
CHLAMYDIAL INFECTIONS	165	116	1,198	1,084
GIARDIASIS	11	9	53	47
GONORRHEA	50	40	427	367
H. INFLUENZAE	0	2	3	6
HEPATITIS A	5	28	44	127
HEPATITIS B, acute	1	0	10	8
HEPATITIS C, acute	0	0	1	0
MEASLES	0	0	0	0
MENINGITIS, viral (aseptic)	6	4	67	19
MENINGOCOCCAL INFECTIONS	0	1	2	6
NON-GONOCOCCAL URETHRITIS (NGU)	20	16	150	159
PERTUSSIS	1	0	3	2
RUBELLA	0	0	0	0
SALMONELLOSIS	13	15	58	66
SHIGELLOSIS	22	23	52	65
SYPHILIS, primary and secondary	1	0	16	20
SYPHILIS, early latent (<1 year)	5	1	17	10
TUBERCULOSIS	6	6	40	82

### **Domestic Violence Awareness** (continued from page 1)

violence-related calls involved a weapon.

**IPV** is a substantial health problem in the United States that has serious consequences and costs for individuals, families, communities, and society.

#### Local resources:

- WomenShelter (562) 437-4663 A hotline and shelter for battered women.
- ▶ Interval House (562) 594-4555 24 hour hotline and shelter for battered women and children.
- ◆ Su Casa (562) 402-4888 24 hour hotline and shelter for battered women.
- Public Health Nursing (562) 570-4368 – Referrals and information.

Licensed health practitioners who provide medical services for any physical condition to a patient must make a report to local law enforcement about various violations of the Penal Code, including domestic abuse, if, during the course of providing medical services, the practitioner reasonably suspects that the patient is suffering from any wound or other physical injury stemming from assaultive or abusive conduct. For more information about reporting responsibilities, or to report a suspected case of domestic abuse in Long Beach, contact the Police Department at (562) 570-7277.

Sources: Centers for Disease Control and Prevention, www.cdc.gov/ncipic/dvp/ipvfacts.htm.; Family Health Outcomes Project, 1997; Family Violence Prevention Fund, February 1996.

### Do You Need to Have a Mammogram But Can't Afford One?

The Breast Cancer Early Detection Program (BCEDP) can help. You can get a free breast exam IF:

- ◆ Your income is 200% of the federal poverty level or below;
- You are uninsured or underinsured;
- ◆ You are 40 years of age or older.

Long Beach providers who do free breast cancer screening include:

Coast Radiology and Medical 1040 Elm Street 562-432-0079

Tomi Evans, M.D. 701 E. 28th Street, Suite 411 562-426-0338

> Touradj Farhadi, M.D. Panacea Health Care 2630 Pacific Avenue 562-426-3399

Milton Lee, M.D. Women's Health Care Services 1043 Elm Avenue 562-901-1870

Long Beach Memorial Breast Center 701 E. 28th Street, Suite 200 562-933-7880

> Pacific Family Practice Clinic 2683 Pacific Avenue 562-427-4172

St. Mary Medical Center 1043 Elm Avenue 800-377-7040

Marvin E. Weiner Willow Radiology Medical Group 500 W. Willow, Suite 8 213-383-0499

Westside Neighborhood Clinic 1436 W. 23rd Street 562-595-5507

Call 1-800-511-2300 for more information.

### Health Department Phone Numbers

General Information (562) 570-4000 www.ci.long-beach.ca.us/health

Alcohol/Drug Rehabilitation (562) 570-4100

Animal Control Shelter (562) 570-7387

Early Intervention Program/ HIV Testing/STD Clinic (562) 570-4315

Environmental Health (562) 570-4132

Immunizations/Walk-In Clinic (562) 570-4222

Prenatal Clinic (562) 570-4217

Senior Center (562) 570-3531

Tobacco Education Program (562) 570-8508

WIC Program (562) 570-4242

The Public Health Bulletin is

published as a public health service to interested City of Long Beach residents by the Department of Health and Human Services 2525 Grand Avenue Long Beach, CA 90815 (562) 570-4000 www.ci.long-beach.ca.us/health

To be added or removed from the mailing list, please contact Meredith Delaney at (562) 570-4298 or email medelan@ci.long-beach.ca.us.

This information is available in an alternative format.

Data contained in this publication are considered provisional due to reporting delays.

### AIDS Surveillance Program Data

City of Long Beach Data as of September 30, 1998

3,398 Total Long Beach City AIDS Cases	(2,102 deceased - 62% Mortality Rate)
3,389 Adult Cases	(2,097 deceased - 62% Mortality Rate)
9 Pediatric Cases	(5 deceased - 56% Mortality Rate)

	AIDS Cases by Gender	
	#	%
Male	3,223	95
Female	175	5

	AIDS Cases by Race/Ethnicity	
	#	%
White, Not Hispanic	2,201	65
Black, Not Hispanic	559	16
Hispanic	570	17
Asian/Pacific Islander	53	2
American Indian/Alaskan	8	<1
Unknown	7	<1

AIDS Cases by Exposure Category		
	#	%
Male-to-Male Contact	2,622	77
Intravenous Drug Use	281	8
Male-to Male Contact and Intravenous Drug Use	264	8
Heterosexual Contact	110	3
Recipient of Blood/Blood Products Transfusion	25	<1
Hemophilia/Coagulation Disorder	12	<1
Mother at Risk (Perinatal Exposure)	8	<1
Risk Not Reported/Other	76	2

# Nou're Invited Red Ribbon Week "Blast Off" Event

Saturday, October 24, 1998 from

10:00 AM to 2:00 PM

at the

Health Department 2525 Grand Avenue

րformat<mark>i</mark>oր Long Beach

### **NEWS FLASH!**

On September 30, 1998, Governor Pete Wilson vetoed a bill that would have required California health care providers to

report HIV cases through a unique identifier system. While it is generally recognized that the state needs an HIV surveillance system to better track the spread of the virus, opponents of the bill argued that HIV should be reported by name like other infectious diseases, including AIDS. Therefore, no changes to the existing AIDS Surveillance system have been made. AIDS cases should be reported to (562) 570-4298.





City of Long Beach Department of Health and Human Services 2525 Grand Avenue, Room 201 Long Beach, CA 90815

### Public Health Bulletin

### **Attention Health Care Providers**

The California Code of Regulations, Title 17, Section 2500, requires the report of communicable diseases and conditions. To report a case of a communicable disease, contact the City of Long Beach Department of Health and Human Services Epidemiology Program at 562-570-4302 or by fax at 562-570-4374.

<u>Diseases</u>
AIDS
Amebiasis ∑⊠FAX
Anisakiasis 🗷 🖂 FAX
Anthrax 🕿
Babesiosis 🗷 🗵 🗷 FAX
Botulism 🕿
Brucellosis
Campylobacteriosis ∑⊠FAX
Chancroid
Chlamydial Infections
Cholera ≘
Ciguatera Fish Poisoning 🕿
Coccidioidomycosis
Colorado Tick Fever ∑⊠FAX
Conjunctivitis, Acute Infection
of the Newborn 🗷 🗷 FAX
Cryptosporidiosis ∑⊠FAX

Reportable Communicable	Cysticercosis		Leprosy
<u>Diseases</u>	Dengue 🕿		Leptospi
AIDS	Diarrhea of the Newl	born 🕿	Listerios
Amebiasis ∑⊠FAX	(Outbreaks)		Lyme Dis
Anisakiasis 🗷 🗵 🗷 🗸	Diphtheria 🕿		Lymphocy
Anthrax 🕿	Domoic Acid Poisoni	ng 🕿	J⊠FAX
Babesiosis 🗷 🗵 🗷 FAX	Echinococcosis		Malaria
Botulism ≘	Ehrlichiosis		Measles
Brucellosis	Encephalitis <b>∑</b> ⊠FAX		Meningi
Campylobacteriosis <b>∑</b> ⊠FAX	Escherichia coli 015	7:H7 🕿	Meningo
Chancroid	Foodborne Disease	D⊠FAX †	Mumps
Chlamydial Infections	Giardiasis		Non-Gor
Cholera a	Gonococcal Infection	S	Paralytic
Ciguatera Fish Poisoning 🕿	Haemophilus Influenza	ае ⊅⊠ғах	Pelvic In
Coccidioidomycosis	Hantavirus Infections	S 🖀	Pertussis (
Colorado Tick Fever 🏿 🖂 FAX	Hemolytic Uremic Sy	ndrome 🕿	Plague, I
Conjunctivitis, Acute Infectious	Hepatitis, Viral ∑⊠FA	X	Poliomy
of the Newborn ☑⊠FAX	Kawasaki Syndrome		Psittacos
Cryptosporidiosis <b>∑</b> ⊠FAX	Legionellosis		Q Fever
☑ ■ FAX = Report by FAX, telephone, or mail	within one (1) working day	† = Report im suspected cas	

	. ,	
	Leptospirosis	Relapsi
born 🕿	Listeriosis DIMFAX	Reye Sy
	Lyme Disease	Rheum
	Lymphocytic Choriomeningitis	Rocky I
ng 🕿	<b>J</b> ⊳FAX	Rubella
	Malaria <b>∑</b> ⊠FAX	Rubella
	Measles D⊠FAX	Salmon
	Meningitis <b>∑</b> ⊠FAX	Scombi
7:H7 🕿	Meningococcal Infections €	Shigelle
D⊠FAX †	Mumps	Strepto
	Non-Gonococcal Urethritis	(Outbreak
S	Paralytic Shellfish Poisoning a	in Food Ha
ае ⊅∞ғах	Pelvic Inflammatory Disease	Swimm
Sa	Pertussis (Whooping Cough) ☑ IMFAX	Syphilis
ndrome 🕿	Plague, Human or Animal €	Tetanu
Х	Poliomyelitis, Paralytic DEFAX	Toxic S
	Psittacosis DIMFAX	Toxopl
	Q Fever D⊠FAX	Trichin
† = Report immediately by telephone when two (2) or more cases or suspected cases of foodborne disease from separate households are suspected to have the same source of illness.		

	Rabies, Human or Animal 🕿
	Relapsing Fever DIMFAX
	Reye Syndrome
	Rheumatic Fever, Acute
	Rocky Mountain Spotted Fever
	Rubella
	Rubella Syndrome, Congenita
	Salmonellosis <b>∑</b> ⊠FAX
	Scombroid Fish Poisoning a
	Shigellosis DIMFAX
	Streptococcal Infections DEFAX
	(Outbreaks of Any Type and Individual Cases
	in Food Handlers and Dairy Workers Only)
	Swimmer's Itch 🗷 🖂 FAX
	Syphilis 🗷 🖂 FAX
	Tetanus
	Toxic Shock Syndrome
	Toxoplasmosis
	Trichinosis 🛮 🖂 FAX
e	cases or = Report immediately b

Tuberculosis **∑**⊠FAX Tularemia Typhoid Fever ☑ SFAX (Cases and Carriers) Typhus Fever Vibrio Infections DIMFAX Viral Hemorrhagic Fevers a Water-associated Disease 🗷 🖂 FAX Yellow Fever a Yersiniosis **∑**⊠FAX X OCCURRENCE of ANY UNUSUAL DISEASE OUTBREAKS of ANY DISEASE @ Reportable Noncommunicable **Diseases/Conditions** Alzheimer's Disease Cancer Disorders Characterized by Lapses of Consciousness by telephone

All other diseases/conditions should be reported by FAX, telephone, or mail within seven (7) calendar days of identification.